



SECURE COMMUNICATIONS SYSTEM

INSTALLING ALLTALK JAVA ON MACINTOSH COMPUTERS



LAST RESORT SUPPORT PTY. LTD.

2 Hunter Court, Melbourne, Victoria, Australia, 3977

Tel: 61 3 9012 7394, Fax: 61 3 5995 8819

Email: support@lrsupport.com.au

ABN 85 092 037 628

WWW.LRSUPPORT.COM.AU



TABLE OF CONTENTS

| | |
|--|----------|
| 1. INSTALLING ALLTALK JAVA ON MACINTOSH COMPUTERS | 1 |
| Installing the Server Certificate | 1.1 |
| Downloading your Key and Software | 1.3 |
| Creating the AllTalk Profile | 1.6 |
| Connecting to your Service Provider | 1.7 |

INSTALLING ALLTALK JAVA ON MACINTOSH COMPUTERS

STEP ONE INSTALLING THE SERVER CERTIFICATE


Visit the Alltalk website of your Service Provider eg www.lrsupport.com.au/alltalk

You may see a Certificate Warning. Follow the steps below to prevent this warning from appearing again, otherwise skip to Step Two (Downloading the Application and Key).




If you see a Certificate Warning, click "**Continue**"

In the Top section, click where indicated ("Here") to download the AllTalk Server Certificate.




Open your download folder (or desktop wherever the download destination for files is on your computer).

Rename ServerCert to **SerCert.crt**




Double Click on **"ServerCert.crt"**



The KeyChain access program will start and **"Add Certificate"** Prompt will appear.

Select **"X509 Anchors"** from the drop down list



Click **"OK"**





You will be prompted for permission to Add to the Keychain.


Enter your User Password (it may be blank) and click "OK"

Close KeyChain Access and return to the Web page.


STEP TWO DOWNLOADING YOUR KEY & SOFTWARE



Enter the "Username" and "Password" issued to you by the Service Provider



Click on **EQ2 Key File**



Close "Downloads" when complete


Scroll down the AllTalk Web Page to "Downloads"




In the downloads section Click on "Macintosh (OSX 10.3 or Later)"

Close "Safari"

Open your "Downloads" folder (or you may find files on your desktop)



Double Click on
"MacOSX_Installer"



Click "RUN"




Click "OK"


AllTalk will start downloading additional files in background and after a few seconds you will see the "Java Client" appear.

[The Java Client will report an Error – **this is normal**]

You are now ready to configure your Profile.
Click "Profile"




STEP THREE CREATING THE ALLTALK PROFILE



The AllTalk Profile Editor will start.
Click on the "Install Key"

Browse to your "Download" Folder (or Desktop) and select the Key File which was downloaded earlier from the Web Site



Click "Open"

The "Security Key" should now be "set"




STEP FOUR CONNECTING TO YOUR SERVICE PROVIDER

Now set the “**Destination Path**” to the location where your Practice software expects to find results.

For example:
For Genie this is **/Applications/Genie/LabRsIts**.


Please contact your practice management software support team for the correct path for your package. You may type this in or use the browse button.




Click "**Choose**"

The "**Destination Path**" will now be set.


Click "**OK**" and the AllTalk Profile Editor will close.



Click on "**Fetch**".
You will see a connection the Alltalk Server and an OK message.



Quit Alltalk.



Note:

If you have AllTalk Installer on the Desktop or in your "Download" folder,, move it to Trash so that it does not cause confusion in the future.


Click "OK"

AllTalk will now run automatically periodically without any intervention – there is no need to click anything to download results.

You can, however, configure a "Desktop Alias" which will enable you to run AllTalk manually.


STEP FIVE
CONFIGURING A DESKTOP ALIAS TO RUN ALLTALK MANUALLY


Finder will open to the AllTalk Folder (EQ2j)



Double Click on the "EQ2J.APP.ZIP" icon

Select "EQ2j" and make an "Alias" to this application.





Drag the Alias to your desktop.

Close "Finder"



Rename the Alias to "AllTalk"

YOUR ALLTALK INSTALLATION IS NOW COMPLETE !